Manitoba Monthly Surveillance Unit Report

Reported up to May 31, 2012

Highlights:

1. Antimicrobial Resistant Organisms

Together Methicillin-resistant *Staphylococcus aureus* (MRSA) and *Clostridium difficile* (*C. difficile*) accounted for 55% of all non-STBBI related communicable diseases reported to Manitoba Health during May 2012.

 The number of reported cases of MRSA was above the statistically expected range in May 2012: 312 positive lab-confirmed cases reported; less than 293 expected in an average month.

2. Sexually Transmitted & Blood-Borne Infections (STBBI)

There were 694 reported cases of sexually transmitted infections (chlamydia, gonorrhoea, and syphilis) in May 2012:

- 561 reported cases of chlamydia (CT) only
- 80 reported cases of gonorrhoea (GC) only
- 49 reported co-infections of CT and GC and
- 4 reported cases of syphilis

Chlamydia has the highest incidence of reported STBBI. Females between the ages of 15 and 24 years comprised 45% of all reported chlamydia cases in the province.

Syphilis cases include both infectious and non-infectious cases, as well as those requiring further follow-up to determine their status.

In May 2012, there were no acute cases of Hepatitis B virus (HBV), 24 cases of Hepatitis C virus (HCV) and 5 cases of HIV newly reported in Manitoba.

3. Other Communicable Diseases

The number of reported cases in May 2012 was within or below the statistically expected range for these reported communicable diseases with the exception of the following disease(s):

 Shigellosis: 10 positive lab-confirmed cases reported; less than 6 expected in an average month.

The expected number of cases and range is statistically based on the number of reported cases during April, May, and June, 2007-2011.

Explanatory Notes:

General:

Each monthly communicable disease report includes the number of cases of notifiable communicable diseases reported by lab or health provider during each individual month. Data for the monthly summary are aggregated based on the earliest of: symptom onset date, specimen collection date, or report date. For the majority of cases, the date used will be the specimen collection date as symptom onset date is frequently not recorded. Some discrepancy of numbers may be based on reporting delays.

The observed numbers of cases are compared to the statistically expected range for each reportable communicable disease. This involves comparing the current month's case counts to the average case counts for the same month, one month subsequent and one month prior for the previous five years. These same months over the five years are used to determine the expected range of cases using the statistical calculation of standard deviation. Using this specific monthly pattern allows for adjustment within the statistics for both seasonality and cyclical disease patterns.

The year-to-date case counts are based on the calendar year.

The disease data reported in the monthly report has not been analyzed for severity or associated deaths at this time.

Disease specific information:

Methicillin-resistant *Staphylococcus aureus* (MRSA) positive results within Manitoba include both individuals who are symptomatic of infection and colonized individuals who have no symptoms and are mostly diagnosed during admission screening activities at facilities. If facilities increase their screening activities, it would usually result in a rise in colonized MRSA cases.

A new case of Hepatitis C Virus (HCV) infection is defined as a first positive test for an identifiable individual.

A new case of Human Immunodeficiency Virus (HIV) infection is defined as a positive test with a unique code that has not been previously linked to a positive test result in Manitoba. Positive HIV tests included in this month's statistics include both nominal and non-nominal testing results.

The number of Tuberculosis cases year-to-date may not equal the sum of cases reported for each month of this year. As new test results are received, there may be a change in diagnosis. Occasionally, diagnosis dates are updated, which also contributes to total numbers varying from month to month.

SUMMARY OF COMMUNICABLE DISEASE FOR May 2012 MONTHLY TOTAL YEAR-TO-DATE Ex. ICD9 **DISEASE/INFECTION** 2011 2012 Expected* 2011 2012 Range** 006.9 **AMEBIASIS** 6 0-8 9 17 022 **ANTHRAX** 127.0 **ASCARIASIS** 0 0-1 005.8 B. CEREUS 0 0-1 BAC. MENINGITIS - PNEUM 320.1 0 0-1 2 320.7 BAC.MENINGITIS-LISTERIA *** 23 BETA STREP SEPTICEMIA 10 038.0 61 81 +++ BLASTOMYCOSIS 4 116.0 2 005.1 **BOTULISM** 023 **BRUCELLOSIS** 0 0-1 1 1 005.2 C. PERFRINGENS 2 0 0-2 2 1 CAMPYLOBACTER 20 20 8-32 57 008.43 14 94 CLOSTRIDIUM DIFFICILE 558.2 68 65 381 373 *** CREUTZFELD-JACOB DISEASE 046.1 **CRYPTOSPORIDIOSIS** 2 0-3 16 007.8 1 9 061.0 **DENGUE FEVER** 1 1 0 0-1 2 1 DENGUE HEMORRHAGIC FEVER 0 065.4 0-0 V02.4 DIPH.CARRIERS 0 0-2 032 **DIPHTHERIA CASES** 0 0-1 DIPHYLLOBOTHRIUM SPP 123.4 0-4 2 3 1 E. COLI-VEROTOXIGENIC 0.800 4 1 4 0-10 19 11 054.3 **ENCEPHALITIS** 1 0 0-1 1 FOOD POISONING OTHER 005.9 0 0-0 10 40 007.1 GIARDIA LAMBLIA 9 5 2-18 41 H.INFLUENZAE (BLOOD) 038.42 9 H.INFLUENZAE (CSF) 1 0 0-0 2 1 320.0 H.INFLUENZAE (OTHER STERILE) 041.5 0 0-1 2 480.8 HANTA VIRUS 0 0-1 HEMOLYTIC UREMIC SYNDROME 283.11 0 0-0 070.1 HEPATITIS A 2 0-3 5 1 070.3 HEPATITIS B 0 0-1 **HEPATITIS C** 24 35 28 16-40 134 165 070.51 487.1A INFLUENZA A 113 66 487.1B INFLUENZA B 1 25 12 214 LEGIONELLA 0-1 482.83 0 1 LEISHMANIASIS 085.9 0 0-0 LEPROSY 030.9 0 0-0 LISTERIA MONOCYTOGENES 1 027.0 1 0 0-1 1 088.81 LYME DISEASE 0 0-2 084 MALARIA 4 1 1 0-4 7 4 **MEASLES** 055.9 0 0-1 036.0 MENINGOCOCCAL CSF 0 0-1 1 1 036.82 MENINGOCOCCAL ARTHROPATHY 036.2 MENINGOCOCCEMIA BLOOD 0 0-1 B95.6 MRSA 248 312 199 106-292 1200 1343 072.9 MUMPS 0-3 6 1 9 N.MENINGITIDIS OTHER 0 036.89 0-1 728.86 **NECROTIZING FASCIITIS** 3 1 0-3 **NECROTIZING MYOSITIS** 729.1 323.9 OTHER ENCEPHALITIS 0 0-0 **PARAPERTUSSIS** 033.1

PNEUM. SEPTICEMIA

PERTUSSIS

PSITTACOSIS

033.0

038.2

073.9

3

11

3

15

4

12

0

0-12

4-20

0-0

8

69

7

75

^{*} Mean of 15 month totals, from previous, comparable and subsequent months for the past 5 years.

^{**} Mean +/- 2 standard deviations of mean.

^{***} Data collected for less than 5 years.

SUMMARY OF COMMUNICABLE DISEASE FOR May 2012

			YEAR-TO-DATE				
ICD9	DISEASE/INFECTION	2011	2012	Expected*	Ex. Range**	2011	2012
083.0	Q FEVER			0	0-0	1	
A82.9	RABIES				***		
082.0	RICKETTSIA RICKETTSII				***		
083.9	RICKETTSIAL DISEASE, OTHER			0	0-1		
056.9C	RUBELLA (confirmed)			0	0-1		1
771.0	RUBELLA CONGENITAL			0	0-0	1	
041.2	S.PNEUM.OTHER	1		0	0-1	7	9
003.0	SALMONELLA	10	8	17	4-30	87	66
079.82	SARS (CORONAVIRUS)				***		
120	SCHISTOSOMIASIS			0	0-0		4
079.99	SEVERE RESPIRATORY ILLNESS				***		
004	SHIGELLOSIS	1	10	2	0-5	15	25
050.9	SMALLPOX				***		
005.0	STAPH FOOD POISON			0	0-0		
785.5	STAPH TOXIC SHOCK				***		
481.9	STREP PNEUMONIA - PR			0	0-0		
041.1	STREP PYOGENES - OTHER	8	9		***	43	44
711.0	STREP.PNEUM.ARTHRITIS			0	0-0	-	
580.0	STREPT GLOMERULONEPHRITIS			0	0-0		
040.89	STREPT TOXIC SHOCK			0	0-0	1	
481	STREPTOCOCCUS PNEUMONIAE			0	0-0		
127.2	STRONGYLOIDES	3	1	2	0-6	15	10
037	TETANUS			0	0-0	-	_
130.9	TOXOPLASMOSIS			0	0-1	1	2
124	TRICHINOSIS			0	0-0		
086	TRYPANOSOMA CRUZI	1		0	0-1	4	1
013-018	TUBERCULOSIS - NON-RESP.	1	1	2	0-6	9	9
010	TUBERCULOSIS - PRIM.	1	2	1	0-3	5	5
011-012	TUBERCULOSIS - RESP	8	10	10	2-18	35	41
021.9	TULAREMIA			0	0-1		
002.0	TYPHOID	1		0	0-1	4	2
081.9	TYPHUS			0	0-0		
B96.8	VANCOMYCIN R. ENTEROCOCCI	121	148		***	421	685
005.4	VIBRIO PARAHAEMOLYTICUS				***		1
070.59	VIRAL HEP. OTHER		1		***		2
B95.7	VRSA			0	0-0		
062.1	W. EQUINE ENCEPHALITIS			0	0-0		
066.41	WNV NEUROLOGICAL			-	***		
008.44	YERSINIA ENTEROCOLITICA			1	0-3	7	7
		580	690			2851	3414

Mean of 15 month totals, from previous, comparable and subsequent months for the past 5 years. Mean \pm -2 standard deviations of the mean.

Data collected for less than 5 years.

SUMMARY OF COMMUNICABLE DISEASE BY AGE AND GENDER FOR MAY 2012

				_	_			40	44	45	40	20	0.4	25	00	20	20	40	40		-59	60-69		70	-79	_	•		
ICDO	Disease Name	F		F	-4 NA	F	-9	10 F	-14 M	15- F		20 F	-24	F	_	30- F	-39	40·	-49 -49	F		F F	-69 M	70 F	-79 М	F 8	0+ М	Missing Age/Gender	Total
ICD9		г	М	-	М	Г	М	-	IVI	-	M		M	Г	М	r	М	г	M	-	M	г	IVI	-	IVI	-	IVI	Age/Gerider	
006.9	AMEBIASIS						1	1				1				1			1		1			-			-		6
038.0	BETA STREP SEPTICEMIA	2			1	1						2				1	1	1	1	1	2	2	1	3	1	3			23
008.43	CAMPYLOBACTER			1	1									2	2				1	2	2	2			1				14
558.2	CLOSTRIDIUM DIFFICILE											2			1	3	2	1	2	4	4	3	7	7	9	11	9		65
061.0	DENGUE FEVER														1														1
0.800	E. COLI 0157				1																								1
007.1	GIARDIA LAMBLIA						1			1		1							1				1						5
320.0	H. INFLUENZAE (CSF)				1																								1
070.51	HEPATITIS C	1													1	3	4		6		7		1	1					24
070.59	HEPATITIS OTHER (VIRAL)																						1						1
487.1A	INFLUENZA A		1	1														1				1							4
487.1B	INFLUENZA B		2		2		1	3	2	1					2	4		1					2			3	2		25
084	MALARIA			1																									1
B95.6	MRSA	8	3	9	14	8	9	10	7	11	8	11	10	9	14	19	12	19	21	11	14	8	15	7	15	24	15	1	312
033.0	PERTUSSIS						1	1	1																				3
038.2	PNEUM. SEPTICEMIA			1	1									1		3	1	1			1		2	1	1	1	1		15
003.0	SALMONELLA					1	1			1	1							1	1		1		1						8
004	SHIGELLOSIS				3		2		1				2			1		1											10
041.1	STREP PYOGENES - OTHER ST												1						1		3		1	2	1				9
127.2	STRONGYLOIDIASIS																				1								1
013-018	TUBERCULOSIS - NON-RESP.											1																	1
010	TUBERCULOSIS - PRIM.			1	1																								2
011-012	TUBERCULOSIS - RESP								1	1		1			1	1	2		1	1			1						10
B96.8	VANCOMYCIN RES. ENTER.	1				1									1	5	1	5	3	13	7	6	15	16	17	31	25	1	148
		12	6	14	25	11	16	15	12	15	9	19	13	12	23	41	23	31	39	32	43	22	48	37	45	73	52		690

SUMMARY OF COMMUNICABLE DISEASE BY REGION (RHA) FOR MAY 2012

ICD9	Disease/Infection	Winnipeg	Brandon	N. Ea	stman	S. Ea	stman	Inte	rlake	Cer	ıtral	Assin	iboine	Parl	kland	Nor	man	Burn	twood	Churchill	00P**	Missing	TOTAL
Case Ref	erred to:*			F	P	F	P	F	Р	F	Ρ	F	P	F	Р	F	Р	F	P				1
006.9	AMEBIASIS	4					1						1										6
038.0	BETA STREP SEPTICEMIA	14	1				1						3		1			2	1				23
008.43	CAMPYLOBACTER	3	1				2				2		4		1			1					14
558.2	CLOSTRIDIUM DIFFICILE	33	5				4		3		5		9		6								65
061.0	DENGUE FEVER				1																		1
0.800	E. COLI 0157														1								1
007.1	GIARDIA LAMBLIA	2									2		1										5
320.0	H. INFLUENZAE (CSF)		1																				1
070.51	HEPATITIS C	12	1		4			1	1		3							1	1				24
070.59	HEPATITIS OTHER (VIRAL)	1																					1
487.1A	INFLUENZA A	1					1		1										1				4
487.1B	INFLUENZA B	6							1		3		10		1	2	1	1					25
084	MALARIA										1												1
B95.6	MRSA	127	3	2	6		3	1	15		7	1	5		8	5	7	65	57				312
033.0	PERTUSSIS	3																					3
038.2	PNEUM. SEPTICEMIA	9	1		1								2					2					15
003.0	SALMONELLA	6			1					1													8
004	SHIGELLOSIS	3	1				1						1		1	2	1						10
041.1	STREP PYOGENES - OTHER ST	6			1						1								1				9
127.2	STRONGYLOIDIASIS	1																					1
013-018	TUBERCULOSIS - NON-RESP.	1																					1
010	TUBERCULOSIS - PRIM.										2												2
011-012	TUBERCULOSIS - RESP	6							2									2					10
B96.8	VANCOMYCIN RES. ENTER.	104	1		6		1		7		4		6		3		3	2	11				148
		342	15	2	20		14	2	30	1	30	1	42		22	9	12	76	72				690

^{*} F=Federal Jurisdiction (First Nations and Inuit Health); P=Provincial Jurisdiction

^{**} OOP=Out of Province

STBBI Infection Summary Report - May 2012

	MONTHL	Y TOTAL	YEAR-TO-DATE						
DISEASE/INFECTION	2011	2012	2011	2012					
All Chlamydia Infections	606	610	2806	2792					
All Gonorrhea Infections (including PRNG)	74	129	368	521					
All Syphilis Infections*	3	4	14	31					
Gonorrhea & Chlamydia Co-infections	36	49	176	205					
HIV	7	5	34	33					

Total Number of STBBI Cases by Age and Gender - May 2012

	<1		1-4	1-4		5-9		4	15-19		20-24		25-29		30-39		40-49		50-59		60-	69	70-79		80+		Missing	
Disease Name	F	М	F	M	F	М	F	M	F	М	F	М	F	М	F	М	F	М	F	М	F	М	F	M	F	М	age/gender	TOTAL
						-						ı		ı							T. T.		I		ı		T	,
Chlamydia Only Cases							7	1	131	39	123	77	47	29	43	40	7	8	6	2		1					1	561
Gonorrhea Only Cases									9	9	16	12	6	9	5	11		2		1								80
Syphilis Only Cases											1	1				1								1				4
GC and CT Cases									12	2	15	8	3	4	1		2					1					1	49
TOTAL							7	1	152	50	155	98	56	42	49	52	9	10	6	3		2		1			2	694
HIV									1					1		1		1		1								5

Regional STBBI Distribution - May 2012

Disease/Infection	Winnipeg	Brandon	N. Eas	I. Eastman S. Eastman Ir		Interl	Interlake		itral	Assiniboine		Parkland		Nori	man	Burnt	wood	Churchill	OOP***	Missing	TOTAL	
Case Referred to:**			F	P	F	Р	F	P	F	P	F	P	F	Р	F	P	F	P				
All Chlamydia Infections	287	16	16	11		6	8	25	7	28		19	5	24	7	35	79	30	2	5		610
All Gonorrhea Infections	71	1	3	4		2	4	4	2	4				3		3	21	7				129
All Syphilis Infections	4																					4
GC and CT Infections	21	1	3			1	3	2						2			13	3				49

^{*} Syphilis cases include both infectious and non-infectious cases, as well as those requiring further follow-up to determine their status.

^{**} F=Federal Jurisdiction (First Nations and Inuit Health); P=Provincial Jurisdiction

^{***} OOP=Out of Province